

# UL TYPE EXAMINATION CERTIFICATE

## Low Voltage Directive 2014/35/EU

**Certificate No.** E359706-A6272- 4791144083 -03  
**Page** 1  
**Date of Issue** 2024-01-07

**Issued to** ZHEJIANG UNIVIEW TECHNOLOGIES CO LTD  
No. 369, Xietong Road, Xixing Sub-district, Binjiang District,  
Hangzhou City, 310051, Zhejiang Province, China

**Manufacturer** ZHEJIANG UNIVIEW TECHNOLOGIES CO LTD  
No. 369, Xietong Road, Xixing Sub-district, Binjiang District,  
Hangzhou City, 310051, Zhejiang Province, China

**Manufacturing site/location** Zhejiang Uniview System Technology Co., Ltd.  
No.1277 Qingfeng South Road ( South ) , Tongxiang Economic  
Development Zone · Tongxiang City, Jiaxing City, 314500,  
Zhejiang, China  
TDG Technology Co., Ltd.  
No. 1, Yatai Road, Nanhu district, Jiaxing, Zhejiang 314050, China  
TOP-TEK TECHNOLOGY(VIETNAM)CO., LTD.  
No.5, Street 7, VSIP II, Hoa Phu Ward, TDM Town, Binh Duong  
Province, Vietnam

**Product Sample Description** IP Camera

**Designation** (1):  
IPC2321ERa-xxxxxxx-yyy-yyyy-zzzz

*Jie Qian*

**Operation Leader**

**Jie Qian**

This is to certify that the sample(s) of the Product described herein has/have been investigated and found to have been in compliance with the above mentioned Standard(s) issued by the European Committee for Electrotechnical Standardization (CENELEC) in accordance with the UL Type Examination Certificate Program Requirements.

As stated in Article 6 of Directive 2014/35/EU, "When placing their electrical equipment on the market, manufacturers shall ensure that it has been designed and manufactured in accordance with the safety objectives referred to in Article 3 and set out in Annex I" and "Manufacturers shall draw up the technical documentation referred to in Annex III and carry out the conformity assessment procedure referred to in Annex III or have it carried out". This remains the responsibility of the manufacturer and is not covered as part of this certificate.

This certificate and test results obtained apply only to the product sample(s) submitted by the Applicant. UL did not select the sample(s) or determine whether the sample(s) provided were representative of other manufactured products. UL has not established Follow-Up Service or other surveillance of the product. The Applicant/ Manufacturer are solely and fully responsible for any declaration of ongoing conformity of all products to all applicable Standard(s), specifications or requirements. The test results may not be used, in whole or in part, in any other document without UL's prior written approval.

**UL-CCIC Company Ltd. Suzhou Branch**

**No. 2, Chengwan Road, Suzhou Industrial Park, Suzhou 215122, China**



# UL TYPE EXAMINATION CERTIFICATE

## Low Voltage Directive 2014/35/EU

Certificate No. E359706-A6272- 4791144083 -03  
Page 2  
Date of Issue 2024-01-07

IPC2322ERa-xxxxxxx-yyyyyyy-zzzz  
IPC2321E-xxxxxxx-yyyyyyy-zzzz  
IPC2322E-xxxxxxx-yyyyyyy-zzzz  
IPC2321EBRa-xxxxxxx-yyyyyyy-zzzz  
IPC2322EBRa-xxxxxxx-yyyyyyy-zzzz  
IPC2324EBRa-xxxxxxx-yyyyyyy-zzzz  
HIC2301ES-xxxxxxxIRa-yyyyyyy-zzzz  
HIC2301E-xxxxxxxIRa-yyyyyyy-zzzz  
HIC2301E-xxxxxxx-yyyyyyy-zzzz  
HIC2321ES-xxxxxxxIRa-yyyyyyy-zzzz  
HIC2321E-xxxxxxxIRa-yyyyyyy-zzzz  
HIC2321E-xxxxxxx-yyyyyyy-zzzz  
IPC2222SRa-xxxxxxx-yyyyyyy-zzzz  
IPC2224SRa-xxxxxxx-yyyyyyy-zzzz  
IPC2B24SS-xxxxxxx-yyyyyyy-zzzz, IPC2B25SS-xxxxxxx-  
yyyyyyy-zzzz  
("x" can be 0-9, A-Z, a-z or blank, denoting difference in interface;  
"y" can be 0-9, A-Z, a-z or blank, denoting performance difference;  
"z" can be 0-9, A-Z, a-z or blank, denoting target regional;  
"a" can be 0-9, A or blank, denoting infrared level;  
"-" is optional).  
IPC2222ERa-xxxxxxx-yyyyyyy-zzzz  
IPC2222EBRa-xxxxxxx-yyyyyyy-zzzz  
("x" can be 0-9, A-Z, a-z or blank, denoting difference in interface;  
"y" can be 0-9, A-Z, a-z or blank, denoting performance difference;  
"z" can be 0-9, A-Z, a-z or blank, denoting target regional;

Jie Qian

**Operation Leader**

**Jie Qian**

This is to certify that the sample(s) of the Product described herein has/have been investigated and found to have been in compliance with the above mentioned Standard(s) issued by the European Committee for Electrotechnical Standardization (CENELEC) in accordance with the UL Type Examination Certificate Program Requirements.

As stated in Article 6 of Directive 2014/35/EU, "When placing their electrical equipment on the market, manufacturers shall ensure that it has been designed and manufactured in accordance with the safety objectives referred to in Article 3 and set out in Annex I" and "Manufacturers shall draw up the technical documentation referred to in Annex III and carry out the conformity assessment procedure referred to in Annex III or have it carried out". This remains the responsibility of the manufacturer and is not covered as part of this certificate.

This certificate and test results obtained apply only to the product sample(s) submitted by the Applicant. UL did not select the sample(s) or determine whether the sample(s) provided were representative of other manufactured products. UL has not established Follow-Up Service or other surveillance of the product. The Applicant/ Manufacturer are solely and fully responsible for any declaration of ongoing conformity of all products to all applicable Standard(s), specifications or requirements. The test results may not be used, in whole or in part, in any other document without UL's prior written approval.

**UL-CCIC Company Ltd. Suzhou Branch**

**No. 2, Chengwan Road, Suzhou Industrial Park, Suzhou 215122, China**



# UL TYPE EXAMINATION CERTIFICATE

## Low Voltage Directive 2014/35/EU

Certificate No. E359706-A6272- 4791144083 -03  
Page 3  
Date of Issue 2024-01-07

"a" can be 0-9, A or blank, denoting infrared level;  
"- " is optional)  
IPC2325EBRa-xxxxxxx-yyyyyyy-zzzz  
IPC2328SBRa-xxxxxxx-yyyyyyy-zzzz  
("x" can be 0-9, A-Z, a-z or blank, denoting difference in interface;  
"y" can be 0-9, A-Z, a-z or blank, denoting performance difference;  
"z" can be 0-9, A-Z, a-z or blank, denoting target regional;  
"a" can be 0-9, A or blank, denoting infrared level;  
"- " is optional)  
IPC2322LBRa-xxxxxxx-yyyyyyy-zzzz  
IPC2324LBRa-xxxxxxx-yyyyyyy-zzzz  
IPC2324SBRa-xxxxxxx-yyyyyyy-zzzz  
IPC2325SBRa-xxxxxxx-yyyyyyy-zzzz  
("x" can be 0-9, A-Z, a-z or blank, denoting difference in interface;  
"y" can be 0-9, A-Z, a-z or blank, denoting performance difference;  
"z" can be 0-9, A-Z, a-z or blank, denoting target regional;  
"a" can be 0-9, A or blank, denoting infrared level;  
"- " is optional)  
IPC2325LBRa-xxxxxxx-yyyyyyy-zzzz  
("x" can be 0-9, A-Z, a-z or blank, denoting difference in interface;  
"y" can be 0-9, A-Z, a-z or blank, denoting performance difference;  
"z" can be 0-9, A-Z, a-z or blank, denoting target regional;  
"a" can be 0-9, A or blank, denoting infrared level;  
"- " is optional)  
IPC2324SS-xxxxxxx-yyyyyyy-zzzz  
IPC2224SS-xxxxxxx-yyyyyyy-zzzz

*Jie Qian*

**Operation Leader**

**Jie Qian**

This is to certify that the sample(s) of the Product described herein has/have been investigated and found to have been in compliance with the above mentioned Standard(s) issued by the European Committee for Electrotechnical Standardization (CENELEC) in accordance with the UL Type Examination Certificate Program Requirements.

As stated in Article 6 of Directive 2014/35/EU, "When placing their electrical equipment on the market, manufacturers shall ensure that it has been designed and manufactured in accordance with the safety objectives referred to in Article 3 and set out in Annex I" and "Manufacturers shall draw up the technical documentation referred to in Annex III and carry out the conformity assessment procedure referred to in Annex III or have it carried out". This remains the responsibility of the manufacturer and is not covered as part of this certificate.

This certificate and test results obtained apply only to the product sample(s) submitted by the Applicant. UL did not select the sample(s) or determine whether the sample(s) provided were representative of other manufactured products. UL has not established Follow-Up Service or other surveillance of the product. The Applicant/ Manufacturer are solely and fully responsible for any declaration of ongoing conformity of all products to all applicable Standard(s), specifications or requirements. The test results may not be used, in whole or in part, in any other document without UL's prior written approval.

**UL-CCIC Company Ltd. Suzhou Branch**

**No. 2, Chengwan Road, Suzhou Industrial Park, Suzhou 215122, China**



# UL TYPE EXAMINATION CERTIFICATE

## Low Voltage Directive 2014/35/EU

**Certificate No.** E359706-A6272- 4791144083 -03  
**Page** 4  
**Date of Issue** 2024-01-07

IPC2224SA-xxxxxxx-yyyyyyyy-zzzz  
IPC2324SE-xxxxxxx-yyyyyyyy-zzzz  
("x" can be 0-9, A-Z, a-z or blank, denoting difference in interface;  
"y" can be 0-9, A-Z, a-z or blank, denoting performance difference;  
"z" can be 0-9, A-Z, a-z or blank, denoting target regional;  
"-" is optional)

(2):

IPC2C22LRa-xxxPxxxx-yyyyyyyy-zzzz  
IPC2C22CRa-xxxPxxxx-yyyyyyyy-zzzz  
IPC2325SB-xxxxxxx-yyyyyyyy-zzzz  
IPC2328SB-xxxxxxx-yyyyyyyy-zzzz  
IPC2322SS-xxxxxxx-yyyyyyyy-zzzz  
IPC2322LB-xxxxxxx-yyyyyyyy-zzzz  
IPC2225SE-xxxxxxx-yyyyyyyy-zzzz  
IPC2322SB-xxxxxxx-yyyyyyyy-zzzz  
IPC2324SB-xxxxxxx-yyyyyyyy-zzzz  
IPC2224SE-xxxxxxx-yyyyyyyy-zzzz  
IPC2322SRa-xxxxxxx-yyyyyyyy-zzzz  
IPC2324LB-xxxxxxx-yyyyyyyy-zzzz

("x" can be 0-9, A-Z, a-z or blank, denoting difference in interface;  
"y" can be 0-9, A-Z, a-z or blank, denoting performance difference;  
"z" can be 0-9, A-Z, a-z or blank, denoting target regional;  
"a" can be 0-9, A or blank, denoting infrared level;  
"-" is optional).

(3):

IPC2C22LRa-xxxxxxx-yyyyyyyy-zzzz

*Jie Qian*

**Operation Leader**

**Jie Qian**

This is to certify that the sample(s) of the Product described herein has/have been investigated and found to have been in compliance with the above mentioned Standard(s) issued by the European Committee for Electrotechnical Standardization (CENELEC) in accordance with the UL Type Examination Certificate Program Requirements.

As stated in Article 6 of Directive 2014/35/EU, "When placing their electrical equipment on the market, manufacturers shall ensure that it has been designed and manufactured in accordance with the safety objectives referred to in Article 3 and set out in Annex I" and "Manufacturers shall draw up the technical documentation referred to in Annex III and carry out the conformity assessment procedure referred to in Annex III or have it carried out". This remains the responsibility of the manufacturer and is not covered as part of this certificate.

This certificate and test results obtained apply only to the product sample(s) submitted by the Applicant. UL did not select the sample(s) or determine whether the sample(s) provided were representative of other manufactured products. UL has not established Follow-Up Service or other surveillance of the product. The Applicant/ Manufacturer are solely and fully responsible for any declaration of ongoing conformity of all products to all applicable Standard(s), specifications or requirements. The test results may not be used, in whole or in part, in any other document without UL's prior written approval.

**UL-CCIC Company Ltd. Suzhou Branch**

**No. 2, Chengwan Road, Suzhou Industrial Park, Suzhou 215122, China**



# UL TYPE EXAMINATION CERTIFICATE

## Low Voltage Directive 2014/35/EU

**Certificate No.** E359706-A6272- 4791144083 -03  
**Page** 5  
**Date of Issue** 2024-01-07

IPC2C22CRa-xxxxxxx-yyyyyyy-zzzz  
("x" can be 0-9, A-Z, a-z or blank, denoting difference in interface;  
"y" can be 0-9, A-Z, a-z or blank, denoting performance difference;  
"z" can be 0-9, A-Z, a-z or blank, denoting target regional;  
"a" can be 0-9, A or blank, denoting infrared level;  
"-" is optional).

(4)

IPC2325LB-xxxxxxx-yyyyyyy-zzzz  
IPC2312SB-xxxxxxx-yyyyyyy-zzzz  
IPC2314SB-xxxxxxx-yyyyyyy-zzzz  
IPC2315SB-xxxxxxx-yyyyyyy-zzzz  
IPC2228SE-xxxxxxx-yyyyyyy-zzzz  
IPC2225SS-xxxxxxx-yyyyyyy-zzzz  
IPC2228SS-xxxxxxx-yyyyyyy-zzzz  
IPC2314LE-xxxxxxx-yyyyyyy-zzzz  
IPC2222SB-xxxxxxx-yyyyyyy-zzzz  
IPC2225SB-xxxxxxx-yyyyyyy-zzzz

("x" can be 0-9, A-Z, a-z or blank, denoting difference in interface;  
"y" can be 0-9, A-Z, a-z or blank, denoting performance difference;  
"z" can be 0-9, A-Z, a-z or blank, denoting target regional;  
"-" is optional).

### Ratings

(Optional)

- (1):12Vdc, 1.0A or POE 48V, 0.3A
- (2):12Vdc, 1.0A or POE 48V, 0.25A

*Jie Qian*

### Operation Leader

**Jie Qian**

This is to certify that the sample(s) of the Product described herein has/have been investigated and found to have been in compliance with the above mentioned Standard(s) issued by the European Committee for Electrotechnical Standardization (CENELEC) in accordance with the UL Type Examination Certificate Program Requirements.

As stated in Article 6 of Directive 2014/35/EU, "When placing their electrical equipment on the market, manufacturers shall ensure that it has been designed and manufactured in accordance with the safety objectives referred to in Article 3 and set out in Annex I" and "Manufacturers shall draw up the technical documentation referred to in Annex III and carry out the conformity assessment procedure referred to in Annex III or have it carried out". This remains the responsibility of the manufacturer and is not covered as part of this certificate.

This certificate and test results obtained apply only to the product sample(s) submitted by the Applicant. UL did not select the sample(s) or determine whether the sample(s) provided were representative of other manufactured products. UL has not established Follow-Up Service or other surveillance of the product. The Applicant/ Manufacturer are solely and fully responsible for any declaration of ongoing conformity of all products to all applicable Standard(s), specifications or requirements. The test results may not be used, in whole or in part, in any other document without UL's prior written approval.

**UL-CCIC Company Ltd. Suzhou Branch**

**No. 2, Chengwan Road, Suzhou Industrial Park, Suzhou 215122, China**



# UL TYPE EXAMINATION CERTIFICATE

## Low Voltage Directive 2014/35/EU

**Certificate No.** E359706-A6272- 4791144083 -03  
**Page** 6  
**Date of Issue** 2024-01-07

(3):12Vdc, 1.0A  
(4):12Vdc, 1.0A or POE 48V, 0.25A

**Product Sample Tested and found in compliance with Standard(s)** EN 62368-1:2018

**Test Report Nos.** E359706-A6272-IT-1

**Additional information** N/A

*Jie Qian*

---

**Operation Leader**

**Jie Qian**

This is to certify that the sample(s) of the Product described herein has/have been investigated and found to have been in compliance with the above mentioned Standard(s) issued by the European Committee for Electrotechnical Standardization (CENELEC) in accordance with the UL Type Examination Certificate Program Requirements.

As stated in Article 6 of Directive 2014/35/EU, "When placing their electrical equipment on the market, manufacturers shall ensure that it has been designed and manufactured in accordance with the safety objectives referred to in Article 3 and set out in Annex I" and "Manufacturers shall draw up the technical documentation referred to in Annex III and carry out the conformity assessment procedure referred to in Annex III or have it carried out". This remains the responsibility of the manufacturer and is not covered as part of this certificate.

This certificate and test results obtained apply only to the product sample(s) submitted by the Applicant. UL did not select the sample(s) or determine whether the sample(s) provided were representative of other manufactured products. UL has not established Follow-Up Service or other surveillance of the product. The Applicant/ Manufacturer are solely and fully responsible for any declaration of ongoing conformity of all products to all applicable Standard(s), specifications or requirements. The test results may not be used, in whole or in part, in any other document without UL's prior written approval.

**UL-CCIC Company Ltd. Suzhou Branch**

**No. 2, Chengwan Road, Suzhou Industrial Park, Suzhou 215122, China**

